VIRUSOLVE®+ EDS

HIGH LEVEL DISINFECTANT / COLD STERILANT FOR ENDOSCOPES & MEDICAL DEVICES

Virusolve®+ EDS is a superior high level disinfectant (HLD) (Sterilant) that is designed for the decontamination of endoscopic, surgical and dental instruments & medical devices.

Virusolve®+ EDS is a patented proven HLD / Sterilant. The formulation does not contain any hazardous aldehydes or chlorine generating components.

It is highly effective as a HLD / Sterilant against bacterial spores, mycobacteria, bacteria, fungi and viruses. The product is designed to eliminate the risk of crossinfection from spores, mycobacteria, viruses, fungi and bacteria.

Virusolve®+ EDS is safe to use on ALL flexible and rigid endoscopes.

Primary features attributable to Virusolve® + EDS are:

- · High Level Disinfectant / Cold Sterilant.
- · No instrument damage.
- Excellent material compatibility.
- Safe.
- Odourless.
- Non-fixative.
- · Non-corrosive.
- 5 minute soak at 20 °C.
- No activation required.
- Cost effective.
- Tested to EN14885 for disinfectant properties



Packaging

Concentrate

- 125ml container
- 250ml container
- 11 container
- 5 L container
- 10 L container
- 25 L container





Virusolve®+ EDS is a superior, patented product for the decontamination of medical, surgical, dental and endoscopic instruments.

Application

Reprocessing Of Instruments - High Level Disinfection

For ALL critical and semi-critical instruments / medical devices including heat sensitive instruments:

For Manual Disinfection of instruments and equipment:


Stage 1:

• Make sure that instrument has been thoroughly cleaned (with Viruzyme family or Virudet N) and rinsed.

Stage 2:



1. Make VIrusolve®+ EDS solution at 25ml/L (2.5%) with water.



2. Soak for 5 minutes making sure that all internal channels are flushed through. This ensures sporicidal, mycobactericidal, virucidal, bactericidal, and fungicidal performance is attained.

Note: Ensure that all spaces and recesses are completely filled with Virusolve®+ EDS fluid and no air pockets exist

3. Rinse in sterile water and dry with sterile material

The medical device is now ready for use



Re-usage for Disinfection

Virusolve® + EDS solution has demonstrated efficacy in the presence of organic soil contamination and microbiological burden during reuse. The active constituents' concentration of Virusolve® + EDS solution during its use-life must be verified by the Virusolve® + EDS Concentration Test Kit or Test Strips.

Virusolve® + EDS must be discarded after 14 days even if the active constituents are at or above the MEC. For MEC please refer to PIBS 08-006.

Virusolve® + EDS Microbiological Properties

Active Against	Standards	Contact Time
Spores	EN13704 EN14347	2 Minutes 1 Minute
Mycobacteria	EN14348 Mycobacterium terrae Mycobacterium tuberculosis EN14563 Mycobacterium terrae Mycobacterium avium	1 Minute 1 Minute 5 Minutes 5 Minutes
Bacteria	EN1276, EN13727, EN14561	1 Minute 5 Minutes
Viruses	EN 14476 Polio & Adeno HIV, Hep B & C	5 Minutes 1 Minute
Fungi / Yeasts	EN1275, EN1650 EN14562, EN13624	1 Minute 5 Minutes





Amity Limited, Libra House, West Street, Worsbrough Dale, Barnsley, South Yorkshire, S70 5PG, UK

T: +44 (0) 1226 747660 **F:** +44 (0) 1226 291936

E: sales@amityinternational.com

WWW.AIHC.CO.UK

© Amity Limited all rights reserved 2018

DISTRIBUTED BY: